

3,3'-(Ethane-1,2-diyl)bis(2-thioxo-1,3-oxazolidin-4-one)

Chunhua Ge,* Ya'nan Guo, Xiangdong Zhang, Xiaoyan Zhang and Qitao Liu

College of Chemistry, Liaoning University, Shenyang 110036, People's Republic of China

Correspondence e-mail: chhge@lnu.edu.cn


Received 6 November 2007; accepted 8 November 2007

Key indicators: single-crystal X-ray study; $T = 293\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.005\text{ \AA}$; R factor = 0.043; wR factor = 0.127; data-to-parameter ratio = 13.9.

The asymmetric unit of the title compound, $\text{C}_8\text{H}_8\text{N}_2\text{O}_4\text{S}_2$, contains one half of a centrosymmetric molecule. A short $\text{C}\cdots\text{O}$ distance of $3.012(4)\text{ \AA}$ between the carbonyl groups of neighbouring molecules indicates the presence of dipole-dipole interactions. The crystal packing exhibits also weak intermolecular $\text{O}\cdots\text{S}$ [$3.239(3)\text{ \AA}$] and $\text{C}-\text{H}\cdots\text{O}$ interactions.

Related literature

For general background, see: Gupta *et al.* (1981); Cutshall *et al.* (2005). For details of the synthesis, see: Doğan *et al.* (1992);



Experimental

Crystal data

$\text{C}_8\text{H}_8\text{N}_2\text{O}_4\text{S}_2$	$V = 529.2(2)\text{ \AA}^3$
$M_r = 260.28$	$Z = 2$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation
$a = 6.2845(12)\text{ \AA}$	$\mu = 0.50\text{ mm}^{-1}$
$b = 12.3252(19)\text{ \AA}$	$T = 293(2)\text{ K}$
$c = 7.080(2)\text{ \AA}$	$0.20 \times 0.15 \times 0.11\text{ mm}$
$\beta = 105.22(2)^\circ$	

Data collection

Bruker SMART CCD area-detector diffractometer	1390 measured reflections
Absorption correction: multi-scan (<i>SADABS</i> ; Bruker, 2001)	1012 independent reflections
$T_{\min} = 0.908$, $T_{\max} = 0.955$	761 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.028$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.043$	73 parameters
$wR(F^2) = 0.127$	H-atom parameters constrained
$S = 1.02$	$\Delta\rho_{\max} = 0.27\text{ e \AA}^{-3}$
1012 reflections	$\Delta\rho_{\min} = -0.32\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
C3—H3A \cdots O2 ⁱ	0.97	2.56	3.215 (4)	125
C3—H3B \cdots O2 ⁱⁱ	0.97	2.57	3.325 (4)	135

Symmetry codes: (i) $-x + 2$, $-y + 1$, $-z + 1$; (ii) x , $-y + \frac{1}{2}$, $z - \frac{1}{2}$.

Data collection: *SMART* (Bruker, 2001); cell refinement: *SAINT* (Bruker, 2001); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 1997a); program(s) used to refine structure: *SHELXL97* (Sheldrick, 1997a); molecular graphics: *SHELXTL* (Sheldrick, 1997b); software used to prepare material for publication: *SHELXTL*.

This project is supported by the Natural Science Foundation of the Education Bureau of Liaoning Province (grant No. 05 L159).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CV2350).

References

- Bruker (2001). *SMART* (Version 5.624), *SAINT* (Version 6.04) and *SADABS* (Version 2.03). Bruker AXS Inc., Madison, Wisconsin, USA.
Cutshall, N. S., O'Day, C. & Prezhdo, M. (2005). *Bioorg. Med. Chem. Lett.* **15**, 3374–3379.
Doğan, İ., Burgemeister, T., İçlic, S. & Mannschreck, A. (1992). *Tetrahedron*, **48**, 7157–7164.
Gupta, R. K., Salzberg, B. M., Grinvald, A., Cohen, L. B., Kamino, K., Lesher, S., Boyle, M. B., Waggoner, A. S. & Wang, C. H. (1981). *J. Membr. Biol.* **58**, 123–137.
Sheldrick, G. M. (1997a). *SHELXS97* and *SHELXL97*. University of Göttingen, Germany.
Sheldrick, G. M. (1997b). *SHELXTL*. Bruker AXS Inc., Madison, Wisconsin, USA.

supplementary materials

Acta Cryst. (2008). E64, o506 [doi:10.1107/S1600536807057157]

3,3'-(Ethane-1,2-diyl)bis(2-thioxo-1,3-oxazolidin-4-one)

C. Ge, Y. Guo, X. Zhang, X. Zhang and Q. Liu

Comment

The research on *N*-substitution 2-thioxooxazolidin-4-one compounds have been mushroomed for their interesting biological and spectral properties (Cutshall *et al.*, 2005; Gupta *et al.*, 1981).

The title compound is composed of two functional groups of 2-thioxooxazolidin-4-one which are bridged by ethane group (Fig. 1). In the crystal, C1—C4, O1—O2, N1 and S1 atoms are almost coplanar with a highest deviation of 0.0440 Å for O2. As a derivative of ethane, the molecule has a perfect *anti*-linear conformation. Dihedral angle of N1—C1—C1A—N1A is $-180.00\ (19)^\circ$. The crystal packing exhibits weak intermolecular C—H \cdots O hydrogen bonds (Table 1), O \cdots S interaction ($S1\cdots O2^{iii}$ 3.239 (3) Å [symmetry code: (iii) $-1 + x, y, -1 + z$]), and strong dipole-dipole interactions proved by short C \cdots O distance of 3.012 (4) Å between the carbonyl groups of neighbouring molecules.

Experimental

The title compound was prepared according to the method of Doğan *et al.* (1992). Colourless block-shape crystal of (I) suitable for X-ray diffraction was obtained from ethanol/water (V: V = 4: 1).

Refinement

H atoms were found in difference map, placed in idealized positions (C—H 0.97 Å) and refined as riding, with $U_{iso}(\text{H}) = 1.2 U_{eq}(\text{C})$.

Figures




Fig. 1. The molecular structure of (I), with displacement ellipsoids drawn at the 30% probability level and atomix numbering [symmetry code: (A) $1 - x, 1 - y, 1 - z$].

3,3'-(Ethane-1,2-diyl)bis(2-thioxo-1,3-oxazolidin-4-one)

Crystal data

$\text{C}_8\text{H}_8\text{N}_2\text{O}_4\text{S}_2$

$F_{000} = 268$

$M_r = 260.28$

$D_x = 1.634 \text{ Mg m}^{-3}$

Monoclinic, $P2_1/c$

Mo $K\alpha$ radiation

Hall symbol: -P 2ybc

$\lambda = 0.71073 \text{ \AA}$

$a = 6.2845\ (12) \text{ \AA}$

Cell parameters from 554 reflections

$\theta = 2.7\text{--}22.1^\circ$

supplementary materials

$b = 12.3252(19)$ Å	$\mu = 0.50$ mm $^{-1}$
$c = 7.080(2)$ Å	$T = 293(2)$ K
$\beta = 105.22(2)^\circ$	Block, colourless
$V = 529.2(2)$ Å 3	$0.20 \times 0.15 \times 0.11$ mm
$Z = 2$	

Data collection

Bruker SMART CCD area-detector diffractometer	1012 independent reflections
Radiation source: fine-focus sealed tube	761 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.028$
$T = 293(2)$ K	$\theta_{\text{max}} = 26.0^\circ$
phi and ω scans	$\theta_{\text{min}} = 3.3^\circ$
Absorption correction: multi-scan (SADABS; Bruker, 2001)	$h = -7 \rightarrow 7$
$T_{\text{min}} = 0.908$, $T_{\text{max}} = 0.955$	$k = -15 \rightarrow 1$
1390 measured reflections	$l = -8 \rightarrow 1$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.043$	H-atom parameters constrained
$wR(F^2) = 0.127$	$w = 1/[\sigma^2(F_o^2) + (0.0798P)^2]$ where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.02$	$(\Delta/\sigma)_{\text{max}} < 0.001$
1012 reflections	$\Delta\rho_{\text{max}} = 0.27$ e Å $^{-3}$
73 parameters	$\Delta\rho_{\text{min}} = -0.31$ e Å $^{-3}$
Primary atom site location: structure-invariant direct methods	Extinction correction: none

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\text{sigma}(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å 2)

x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
-----	-----	-----	----------------------------------

S1	0.33868 (11)	0.36411 (6)	0.00385 (12)	0.0506 (3)
O1	0.7149 (3)	0.33522 (16)	0.0792 (3)	0.0486 (6)
C2	0.5626 (4)	0.36727 (18)	0.1543 (4)	0.0373 (6)
N1	0.6306 (3)	0.40084 (16)	0.3674 (3)	0.0350 (5)
C1	0.5096 (4)	0.4388 (2)	0.5081 (4)	0.0389 (6)
H1A	0.5884	0.4182	0.6401	0.047*
H1B	0.3641	0.4063	0.4781	0.047*
O2	0.9269 (3)	0.40856 (17)	0.6269 (4)	0.0600 (7)
C4	0.8323 (4)	0.3902 (2)	0.4422 (5)	0.0442 (7)
C3	0.8954 (4)	0.3505 (3)	0.2477 (6)	0.0605 (9)
H3A	0.9950	0.4034	0.2159	0.073*
H3B	0.9752	0.2826	0.2764	0.073*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
S1	0.0373 (4)	0.0552 (5)	0.0535 (5)	-0.0042 (3)	0.0018 (3)	-0.0021 (3)
O1	0.0338 (10)	0.0488 (11)	0.0634 (13)	0.0019 (8)	0.0132 (9)	-0.0174 (10)
C2	0.0359 (13)	0.0282 (12)	0.0484 (16)	-0.0001 (10)	0.0118 (12)	0.0005 (11)
N1	0.0300 (10)	0.0300 (10)	0.0440 (14)	0.0011 (8)	0.0077 (9)	-0.0010 (9)
C1	0.0397 (13)	0.0354 (13)	0.0432 (15)	0.0007 (11)	0.0137 (11)	-0.0002 (12)
O2	0.0412 (11)	0.0528 (12)	0.0730 (16)	-0.0003 (9)	-0.0083 (10)	-0.0046 (11)
C4	0.0337 (13)	0.0307 (13)	0.0613 (19)	0.0023 (10)	0.0000 (13)	-0.0036 (12)
C3	0.0315 (14)	0.0564 (18)	0.090 (3)	0.0008 (12)	0.0094 (15)	-0.0195 (18)

Geometric parameters (\AA , $^\circ$)

S1—C2	1.526 (3)	C1—H1A	0.9700
O1—C2	1.274 (3)	C1—H1B	0.9700
O1—C3	1.427 (4)	O2—C4	1.307 (4)
C2—N1	1.514 (4)	C4—C3	1.606 (5)
N1—C4	1.246 (3)	C3—H3A	0.9700
N1—C1	1.479 (3)	C3—H3B	0.9700
C1—C1 ⁱ	1.514 (5)		
C2—O1—C3	97.4 (2)	C1 ⁱ —C1—H1B	110.1
O1—C2—N1	117.0 (2)	H1A—C1—H1B	108.4
O1—C2—S1	110.9 (2)	N1—C4—O2	123.5 (3)
N1—C2—S1	132.0 (2)	N1—C4—C3	96.9 (3)
C4—N1—C1	113.1 (2)	O2—C4—C3	139.6 (3)
C4—N1—C2	112.6 (2)	O1—C3—C4	115.9 (2)
C1—N1—C2	134.2 (2)	O1—C3—H3A	108.3
N1—C1—C1 ⁱ	108.0 (3)	C4—C3—H3A	108.3
N1—C1—H1A	110.1	O1—C3—H3B	108.3
C1 ⁱ —C1—H1A	110.1	C4—C3—H3B	108.3
N1—C1—H1B	110.1	H3A—C3—H3B	107.4

Symmetry codes: (i) $-x+1, -y+1, -z+1$.

supplementary materials

Hydrogen-bond geometry (Å, °)

<i>D—H···A</i>	<i>D—H</i>	<i>H···A</i>	<i>D···A</i>	<i>D—H···A</i>
C3—H3A···O2 ⁱⁱ	0.97	2.56	3.215 (4)	125
C3—H3B···O2 ⁱⁱⁱ	0.97	2.57	3.325 (4)	135

Symmetry codes: (ii) $-x+2, -y+1, -z+1$; (iii) $x, -y+1/2, z-1/2$.

Fig. 1

